

# Error Statistics for the Survey of Professional Forecasters for Treasury Bond Rate (10 Year)

Release Date: 04/04/2019

Tom Stark  
 Research Officer and Assistant Director  
 Real-Time Data Research Center  
 Economic Research Department  
 Federal Reserve Bank of Philadelphia

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

## 1. OVERVIEW.

This document reports error statistics for median projections from the Survey of Professional Forecasters (SPF), conducted since 1990 by the Federal Reserve Bank of Philadelphia. We provide the results in a series of tables and, in the PDF version of this document, a number of charts. The tables show the survey variable forecast and, importantly, the transformation of the data that we used to generate the statistics. (The transformation is usually a quarter-over-quarter growth rate, expressed in annualized percentage points. However, some variables, such as interest rates, the unemployment rate, and housing starts are untransformed and, thus, expressed in their natural units.)

The paragraphs below explain the format of the tables and charts and the methods used to compute the statistics. These paragraphs are general. The same discussion applies to all variables in the survey.

## 2. DESCRIPTION OF TABLES.

Tables 1A-1B report error statistics for various forecast horizons, sample periods, and choices of the real-time historical value that we used to assess accuracy. In each quarterly survey, we ask our panelists for their projections for the current quarter and the next four quarters. The current quarter is defined as the quarter in which we conducted the survey. Our tables provide error statistics separately for each quarter of this five-quarter horizon, beginning with the current quarter (denoted  $H = 1$ ) and ending with the quarter that is four quarters in the future ( $H = 5$ ). For each horizon, we report the mean forecast error  $[ME(S)]$ , the mean absolute forecast error  $[MAE(S)]$ , and the root-mean-square error  $[RMSE(S)]$ . All are standard measures of accuracy, though the academic literature generally places the most weight on the latter.

We define a forecast error as the difference between the historical value and the forecast. The mean error for each horizon is simply the average of the forecast errors at that horizon, constructed over the sample periods shown in Table 1A. Other things the same, a forecast with a mean error close to zero is better than one with a mean error far from zero. The mean absolute error is the sample average of the absolute value of the errors. Many analysts prefer this measure to the mean error because it does not allow large positive errors to offset large negative errors. In this sense, the mean absolute error gives a cleaner estimate of the size of the errors. Decision makers, however, may care not only about the average size of the errors but also about their variability, as measured by variance. Our last measure of accuracy is one that reflects the influence of the mean error and the variance of the error. The root-mean-square error for the SPF  $[RMSE(S)]$ , the measure most often used by analysts and academicians, is the square root of the the average squared error. The lower the root-mean-square error, the more accurate the forecast.

### 2.1. Benchmark Models.

The forecast error statistics from the SPF are of interest in their own right. However, it is often more interesting to compare such statistics with those of alternative, or benchmark, forecasts. Tables 1A-1B report four such comparisons. They show the ratio of the root-mean-square error of the SPF forecast to that of four benchmark models. The benchmark models are statistical equations that we estimate on the data. We use the equations to generate projections for the same horizons included in the survey. In effect, we imagine standing back in time at each date when a survey was conducted and generating a separate forecast with each benchmark model. We do this in the same way that a survey panelist would have done using his own model.

Table 1A reports the root-mean-square-error ratios using as many observations as possible for each model. The number of observations can differ from model to model. We first compute the RMSE for each model. We then construct the ratio.

Table 1B reports RMSE ratios after we adjust the samples to include only the observations common to both models in the pair. Accordingly, the ratios reported in Table 1B may differ slightly from those of Table 1A, depending on the availability of sufficient real-time observations for estimating the benchmark models or for computing the errors of the SPF or benchmark forecasts. Table 1B also reports three two-sided p-values for each ratio. The p-values, corrected for the presence of heteroskedasticity and serial correlation in the time series of differences in squared forecast errors, are those for the test of equality of mean-square error between the SPF and the benchmark. The p-values are those for:

- (1) The Diebold-Mariano statistic (July 1995, *Journal of Business and Economic Statistics*), using a uniform lag window with the truncation lag set to the forecast horizon minus unity. When the uniform lag window produces a nonpositive standard error, the Bartlett window is used.
- (2) The Harvey-Leybourne-Newbold correction (1997, *International Journal of Forecasting*) to the Diebold-Mariano statistic.
- (3) The Diebold-Mariano statistic, using a Bartlett lag window with the truncation lag increased four quarters beyond that of (1) and (2).

A RMSE ratio below unity indicates that the SPF consensus (median) forecast has a root-mean-square error lower than that of the benchmark. This means the SPF is more accurate. We now describe the benchmark models. The first is perhaps the simplest of all possible benchmarks: A no-change model. In this model, the forecast for quarter  $T$ , the one-step-ahead or current-quarter forecast, is simply the historical value for the prior quarter ( $T - 1$ ). There is, in other words, no change in the forecast compared with the historical value. Moreover, the forecast for the remaining quarters of the horizon is the same as the forecast for the current quarter. We denote the relative RMSE ratio for this benchmark as  $RMSE(S/NC)$ , using  $NC$  to indicate no change. The second and third benchmark models generate projections using one or more historical observations of the variable forecast, weighted by coefficients estimated from the data. Such autoregressive (AR) models can be formulated in two ways. We can estimate one model to generate the forecasts at all horizons, using an iteration method to generate the projections beyond the current quarter (IAR), or we can directly estimate a new model for each forecast horizon (DAR). The latter formulation has been shown to reduce the bias in a forecast when the underlying model is characterized by certain types of misspecification. The root-mean-square error ratios are denoted  $RMSE(S/IAR)$  and  $RMSE(S/DAR)$ , respectively.

The one- through five-step-ahead projections of the benchmark models use information on the quarterly average of the variable forecast. The latest historical observation is for the quarter that is one quarter before the quarter of the first projection in the horizon. In contrast, the panelists generate their projections with the help of additional information. They submit their projections near the middle of each quarter and hence have access to some monthly indicators for the first month of each quarter, when those data are released before the survey deadline. This puts the projections of panelists for some variables at an advantage relative to the corresponding benchmark projections. Moreover, the panelists may also examine the very recent historical values of such monthly indicators in forming their projections for quarterly averages. Such monthly statistical momentum represents an advantage not shared by the benchmark models, which use only quarterly averages. For survey variables whose observations are reported at a monthly frequency, such as interest rates, industrial production, housing starts, and unemployment, we estimate and forecast a fourth benchmark model, the DARM. This model adds recent monthly historical values to the specification of the DAR model. For the projections for unemployment, nonfarm payroll employment, and interest rates, we add the values of monthly observations, beginning with that for the first month of the first quarter of the forecast horizon. These values should be in the information set of the survey panelists at the time they formed their projections. In contrast, for variables such as housing starts and industrial production, we include only lagged values of monthly observations. For such variables, the panelists would not have known the monthly observation for the first month of the first quarter of the forecast horizon. In general, we find that adding monthly observations to the benchmark DAR models improves accuracy. Indeed, for the projections for interest rates and the unemployment rate, the accuracy of the benchmark DARM projections rivals that of the SPF projections.

## 2.2. Real-Time Data.

All benchmark models are estimated on a rolling, fixed window of 60 real-time quarterly observations. Lag lengths, based on either the Akaike information criterion (AIC) or the Schwarz information criterion (SIC), are re-estimated each period. The tables below indicate whether the lag length was chosen by the AIC or SIC.

We would like to make the comparison between the SPF forecast and the forecasts of each benchmark as fair as possible. Therefore, we must subject the benchmark models to the same data environment the survey panelists faced when they made their projections. This is important because macroeconomic data are revised often, and we do not want the benchmark models to use a data set that differs from the one our panelists would have used. We estimate and forecast the benchmark models with real-time data from the Philadelphia Fed real-time data set, using the vintage of data that the survey panelists would have had at the time they generated their own projections. (For more information on the Philadelphia Fed real-time data set, go to [www.philadelphiafed.org/econ/forecast/real-time-data/](http://www.philadelphiafed.org/econ/forecast/real-time-data/).)

An open question in the literature on forecasting is: What version or vintage of the data should we use to compute the errors? A closely related question is: What version of the data are professional forecasters trying to predict? Our computations take no strong position on these questions. In Tables 1A - 1B, we evaluate the projections (SPF and benchmark) with five alternative measures of the historical values, all from the Philadelphia Fed real-time data set. These measures range from the initial-release values to the values as we know them today. All together, we compute the forecast error statistics using the following five alternative measures of historical values:

- (1) The initial or first-release value;
- (2) The revised value as it appears one quarter after the initial release;
- (3) The revised value as it appears five quarters after the initial release;
- (4) The revised value as it appears nine quarters after the initial release;
- (5) The revised value as it appears today.

Each measure of the historical value has advantages and disadvantages. The initial-release value is the first measure released by government statistical agencies. A forecaster might be very interested in this measure because it enables him to evaluate his latest forecast soon after he generated it. However, early releases of the data are often subject to large measurement error. Subsequent releases [(2) - (5)] are more accurate, but they are available much later than the initial release. As we go from the first measure to the fifth, we get more reliability, at the cost of higher delays in availability.

The last two columns in Table 1A report the number of observations that we used to compute the error statistics. Some observations are omitted because the data are missing in the real-time data set, such as occurred when federal government statistical agencies closed in late 1995.

### 2.3. Recent Projections and Realizations.

Tables 2 to 7 provide information on recent projections and realizations. They show how we align the data prior to computing the forecast errors that form the backbone of the computations in Tables 1A - 1B. Any error can be written as the equation given by error = realization - forecast. For our computations, we must be more precise because, for each projection (SPF and benchmarks), we have different periods forecast (T) different forecast horizons (h), and several measures of the realization (m). Thus, we can define the forecast error more precisely as

$$\text{error}(T, h, m) = \text{realization}(T, m) - \text{forecast}(T, h).$$

Tables 2 to 7 are organized along these lines. Table 2 shows recent forecasts from the SPF. Each column gives the projection for a different horizon or forecast step (h), beginning with that for the current quarter, defined as the quarter in which we conducted the survey. The dates (T) given in the rows show the periods forecast. These also correspond to the dates that we conducted the survey. Tables 3 to 6 report the recent projections of the four benchmark models. They are organized in the same way as Table 2. Table 7 reports recent values of the five alternative realizations (m) we use to compute the error statistics.

### 2.4. Qualifications.

We note two minor qualifications to the methods discussed above. The first concerns the vintage of data that we used to estimate and forecast the benchmark models for CPI inflation. The second concerns the five measures of realizations used for the unemployment rate, nonfarm payroll employment, and CPI inflation. To estimate and forecast the benchmark models for CPI inflation, we use the vintage of data that would have been available in the middle of each quarter. This postdates by one month the vintage that SPF panelists would have had at their disposal when they formed their projections.

To compute the realizations for unemployment, nonfarm payroll employment, and CPI inflation, we use the vintages associated with the middle of each quarter. The measure that we call initial comes from this vintage, even though the initial estimate was available in the vintage dated one month earlier. Thus, for these variables, our initial estimate reflects some revision by government statistical agencies. The effect for unemployment and CPI inflation is likely small. The effect could be somewhat larger for nonfarm payroll employment.

## 3. DESCRIPTION OF GRAPHS.

### 3.1. Root-Mean-Square Errors.

For each sample period shown in Table 1, we provide graphs of the root-mean-square error for the SPF forecast. There is one page for each sample period. On each page, we plot (for each forecast horizon) the RMSE on the y-axis. The x-axis shows the measure of the historical value that we used to compute the RMSE. These range from the value on its initial release to the value one quarter later to the value as we know it now (at the time we made the computation).

The graphs provide a tremendous amount of information. If we focus on a particular graph, we can see how a change in the measure of the realization (x-axis) affects the root-mean-square-error measure of accuracy. The effect is pronounced for some variables, such as real GDP and some of its components. For others, there is little or no effect. For example, because the historical data on interest rates are not revised, the estimated RMSE is the same in each case.

If we compare a particular point on one graph with the same point on another, we see how the forecast horizon affects accuracy. In general, the RMSE rises (accuracy falls) as the forecast horizon lengthens. Finally, if we compare a graph on one page with the corresponding graph on another page, we see how our estimates of accuracy in the SPF change with the sample period. Periods characterized by a high degree of economic turbulence will generally produce large RMSEs.

### 3.2. Fan Charts.

The last chart plots recent historical values and the latest SPF forecast. It also shows confidence intervals for the forecast, based on back-of-the-envelope calculations. The historical values and the SPF forecast are those associated with the latest vintage of data and survey, respectively, available at the time we ran our computer programs. The confidence intervals are constructed under the assumption that the historical forecast errors over the sample (shown in the footnote) follow a normal distribution with a mean of zero and a variance given by the squared root-mean-square error. The latter is estimated over the aforementioned sample, using the measure of history listed in the footnote.

Table 1A.

Forecast Error Summary Statistics for SPF Variable: TBOND (Treasury Bond Rate (10 Year))

Computed Over Various Sample Periods

Various Measures of Realizations

Transformation: Level

Lag Length for IAR(p), DAR(p), and DARM(p) Models: AIC

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

H	ME(S)	MAE(S)	RMSE(S)	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	Nspf	N
History: Initial Release									
1993:01-2016:03									
1	-0.06	0.14	0.17	0.47	0.47	0.47	0.84	95	95
2	-0.21	0.45	0.54	0.93	0.85	0.88	1.01	95	95
3	-0.35	0.63	0.75	1.05	0.93	0.91	1.04	95	95
4	-0.50	0.78	0.91	1.09	0.94	0.92	1.03	95	95
5	-0.64	0.90	1.04	1.14	0.94	0.93	1.00	95	95
1993:01-1996:04									
1	-0.04	0.13	0.16	0.31	0.33	0.33	0.69	16	16
2	-0.08	0.58	0.66	0.80	0.79	0.78	0.93	16	16
3	-0.09	0.85	0.96	0.89	0.82	0.75	0.93	16	16
4	-0.17	1.05	1.16	0.94	0.80	0.76	0.86	16	16
5	-0.31	1.09	1.23	0.97	0.76	0.71	0.77	16	16
1997:01-2016:03									
1	-0.07	0.14	0.18	0.52	0.51	0.51	0.88	79	79
2	-0.24	0.42	0.52	0.99	0.87	0.93	1.04	79	79
3	-0.41	0.58	0.71	1.14	0.98	1.00	1.09	79	79
4	-0.57	0.72	0.85	1.17	1.01	1.01	1.13	79	79
5	-0.70	0.86	0.99	1.22	1.02	1.05	1.14	79	79
History: One Qtr After Initial Release									
1993:01-2016:03									
1	-0.06	0.14	0.17	0.47	0.47	0.47	0.84	95	95
2	-0.21	0.45	0.54	0.93	0.85	0.88	1.01	95	95
3	-0.35	0.63	0.75	1.05	0.93	0.91	1.04	95	95
4	-0.50	0.78	0.91	1.09	0.94	0.92	1.03	95	95
5	-0.64	0.90	1.04	1.14	0.94	0.93	1.00	95	95
1993:01-1996:04									
1	-0.04	0.13	0.16	0.31	0.33	0.33	0.69	16	16
2	-0.08	0.58	0.66	0.80	0.79	0.78	0.93	16	16
3	-0.09	0.85	0.96	0.89	0.82	0.75	0.93	16	16
4	-0.17	1.05	1.16	0.94	0.80	0.76	0.86	16	16
5	-0.31	1.09	1.23	0.97	0.76	0.71	0.77	16	16
1997:01-2016:03									
1	-0.07	0.14	0.18	0.52	0.51	0.51	0.88	79	79
2	-0.24	0.42	0.52	0.99	0.87	0.93	1.04	79	79
3	-0.41	0.58	0.71	1.14	0.98	1.00	1.09	79	79
4	-0.57	0.72	0.85	1.17	1.01	1.01	1.13	79	79
5	-0.70	0.86	0.99	1.22	1.02	1.05	1.14	79	79

H ME(S) MAE(S) RMSE(S) RMSE(S/NC) RMSE(S/IAR) RMSE(S/DAR) RMSE(S/DARM) Nspf N

History: Five Qtrs After Initial Release

1993:01-2016:03

1	-0.06	0.14	0.17	0.47	0.47	0.47	0.84	95	95
2	-0.21	0.45	0.54	0.93	0.85	0.88	1.01	95	95
3	-0.35	0.63	0.75	1.05	0.93	0.91	1.04	95	95
4	-0.50	0.78	0.91	1.09	0.94	0.92	1.03	95	95
5	-0.64	0.90	1.04	1.14	0.94	0.93	1.00	95	95

1993:01-1996:04

1	-0.04	0.13	0.16	0.31	0.33	0.33	0.69	16	16
2	-0.08	0.58	0.66	0.80	0.79	0.78	0.93	16	16
3	-0.09	0.85	0.96	0.89	0.82	0.75	0.93	16	16
4	-0.17	1.05	1.16	0.94	0.80	0.76	0.86	16	16
5	-0.31	1.09	1.23	0.97	0.76	0.71	0.77	16	16

1997:01-2016:03

1	-0.07	0.14	0.18	0.52	0.51	0.51	0.88	79	79
2	-0.24	0.42	0.52	0.99	0.87	0.93	1.04	79	79
3	-0.41	0.58	0.71	1.14	0.98	1.00	1.09	79	79
4	-0.57	0.72	0.85	1.17	1.01	1.01	1.13	79	79
5	-0.70	0.86	0.99	1.22	1.02	1.05	1.14	79	79

H ME(S) MAE(S) RMSE(S) RMSE(S/NC) RMSE(S/IAR) RMSE(S/DAR) RMSE(S/DARM) Nspf N

History: Nine Qtrs After Initial Release

1993:01-2016:03

1	-0.06	0.14	0.17	0.47	0.47	0.47	0.84	95	95
2	-0.21	0.45	0.54	0.93	0.85	0.88	1.01	95	95
3	-0.35	0.63	0.75	1.05	0.93	0.91	1.04	95	95
4	-0.50	0.78	0.91	1.09	0.94	0.92	1.03	95	95
5	-0.64	0.90	1.04	1.14	0.94	0.93	1.00	95	95

1993:01-1996:04

1	-0.04	0.13	0.16	0.31	0.33	0.33	0.69	16	16
2	-0.08	0.58	0.66	0.80	0.79	0.78	0.93	16	16
3	-0.09	0.85	0.96	0.89	0.82	0.75	0.93	16	16
4	-0.17	1.05	1.16	0.94	0.80	0.76	0.86	16	16
5	-0.31	1.09	1.23	0.97	0.76	0.71	0.77	16	16

1997:01-2016:03

1	-0.07	0.14	0.18	0.52	0.51	0.51	0.88	79	79
2	-0.24	0.42	0.52	0.99	0.87	0.93	1.04	79	79
3	-0.41	0.58	0.71	1.14	0.98	1.00	1.09	79	79
4	-0.57	0.72	0.85	1.17	1.01	1.01	1.13	79	79
5	-0.70	0.86	0.99	1.22	1.02	1.05	1.14	79	79

H	ME(S)	MAE(S)	RMSE(S)	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	Nspf	N
History: Latest Vintage									
1993:01-2016:03									
1	-0.06	0.14	0.17	0.47	0.47	0.47	0.84	95	95
2	-0.21	0.45	0.54	0.93	0.85	0.88	1.01	95	95
3	-0.35	0.63	0.75	1.05	0.93	0.91	1.04	95	95
4	-0.50	0.78	0.91	1.09	0.94	0.92	1.03	95	95
5	-0.64	0.90	1.04	1.14	0.94	0.93	1.00	95	95
1993:01-1996:04									
1	-0.04	0.13	0.16	0.31	0.33	0.33	0.69	16	16
2	-0.08	0.58	0.66	0.80	0.79	0.78	0.93	16	16
3	-0.09	0.85	0.96	0.89	0.82	0.75	0.93	16	16
4	-0.17	1.05	1.16	0.94	0.80	0.76	0.86	16	16
5	-0.31	1.09	1.23	0.97	0.76	0.71	0.77	16	16
1997:01-2016:03									
1	-0.07	0.14	0.18	0.52	0.51	0.51	0.88	79	79
2	-0.24	0.42	0.52	0.99	0.87	0.93	1.04	79	79
3	-0.41	0.58	0.71	1.14	0.98	1.00	1.09	79	79
4	-0.57	0.72	0.85	1.17	1.01	1.01	1.13	79	79
5	-0.70	0.86	0.99	1.22	1.02	1.05	1.14	79	79

Notes for Table 1A.

- (1) The forecast horizon is given by H, where H = 1 is the SPF forecast for the current quarter.
- (2) The headers ME(S), MAE(S), and RMSE(S) are mean error, mean absolute error, and root-mean-square error for the SPF.
- (3) The header RMSE(S/NC) is the ratio of the SPF RMSE to that of the no-change (NC) model.
- (4) The headers RMSE(S/IAR), RMSE(S/DAR) and RMSE(S/DARM) are the ratios of the SPF RMSE to the RMSE of the iterated and direct autoregressive models and the direct autoregressive model augmented with monthly observations, respectively. All models are estimated on a rolling window of 60 observations from the Philadelphia Fed real-time data set.
- (5) The headers Nspf and N are the number of observations analyzed for the SPF and benchmark models.
- (6) When the variable forecast is a growth rate or an interest rate, it is expressed in annualized percentage points. When the variable forecast is the unemployment rate, it is expressed in percentage points.
- (7) Sample periods refer to the dates forecast, not the dates when the forecasts were made.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 1B.

Ratios of Root-Mean-Square Errors for SPF Variable: TBOND (Treasury Bond Rate (10 Year))  
Alternative P-Values in Parentheses

Computed Over Various Sample Periods

Various Measures of Realizations

Transformation: Level

Lag Length for IAR(p), DAR(p), and DARM(p) Models: AIC

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

History: Initial Release  
1993:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.468 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.843 (0.004) (0.006) (0.005)	95	95	95	95
2	0.928 (0.122) (0.132) (0.134)	0.850 (0.001) (0.002) (0.001)	0.882 (0.017) (0.020) (0.010)	1.011 (0.812) (0.815) (0.800)	95	95	95	95
3	1.049 (0.364) (0.379) (0.380)	0.926 (0.259) (0.274) (0.207)	0.909 (0.256) (0.272) (0.196)	1.038 (0.545) (0.557) (0.435)	95	95	95	95
4	1.092 (0.126) (0.144) (0.130)	0.937 (0.443) (0.461) (0.370)	0.917 (0.360) (0.380) (0.288)	1.029 (0.751) (0.760) (0.699)	95	95	95	95
5	1.144 (0.073) (0.091) (0.055)	0.937 (0.490) (0.512) (0.450)	0.930 (0.477) (0.499) (0.438)	1.004 (0.967) (0.969) (0.964)	95	95	95	95

History: Initial Release  
1993:01-1996:04

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.312 (0.001) (0.008) (0.000)	0.325 (0.000) (0.001) (0.000)	0.325 (0.000) (0.001) (0.000)	0.689 (0.008) (0.021) (0.008)	16	16	16	16
2	0.800 (0.021) (0.054) (0.001)	0.789 (0.037) (0.079) (0.002)	0.778 (0.036) (0.077) (0.001)	0.935 (0.510) (0.560) (0.422)	16	16	16	16
3	0.887 (0.000) (0.000) (0.040)	0.820 (0.214) (0.311) (0.113)	0.754 (0.112) (0.200) (0.010)	0.933 (0.633) (0.693) (0.447)	16	16	16	16
4	0.938 (0.148) ( NA ) (0.108)	0.799 (0.171) (0.302) (0.050)	0.755 (0.120) (0.244) (0.018)	0.856 (0.378) (0.502) (0.199)	16	16	16	16
5	0.972 (0.493) (0.630) (0.534)	0.761 (0.045) (0.171) (0.020)	0.713 (0.036) (0.154) (0.020)	0.769 (0.028) (0.136) (0.026)	16	16	16	16



History: Initial Release  
1997:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.521 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.877 (0.047) (0.052) (0.038)	79	79	79	79
2	0.987 (0.749) (0.755) (0.747)	0.874 (0.005) (0.007) (0.009)	0.927 (0.092) (0.102) (0.083)	1.041 (0.435) (0.447) (0.434)	79	79	79	79
3	1.138 (0.051) (0.063) (0.026)	0.978 (0.698) (0.708) (0.688)	0.997 (0.960) (0.961) (0.958)	1.087 (0.150) (0.168) (0.105)	79	79	79	79
4	1.173 (0.038) (0.051) (0.028)	1.010 (0.901) (0.905) (0.892)	1.012 (0.877) (0.883) (0.872)	1.127 (0.160) (0.183) (0.112)	79	79	79	79
5	1.220 (0.039) (0.055) (0.024)	1.023 (0.823) (0.833) (0.804)	1.051 (0.570) (0.594) (0.533)	1.136 (0.225) (0.256) (0.168)	79	79	79	79

History: One Qtr After Initial Release  
1993:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.468 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.843 (0.004) (0.006) (0.005)	95	95	95	95
2	0.928 (0.122) (0.132) (0.134)	0.850 (0.001) (0.002) (0.001)	0.882 (0.017) (0.020) (0.010)	1.011 (0.812) (0.815) (0.800)	95	95	95	95
3	1.049 (0.364) (0.379) (0.380)	0.926 (0.259) (0.274) (0.207)	0.909 (0.256) (0.272) (0.196)	1.038 (0.545) (0.557) (0.435)	95	95	95	95
4	1.092 (0.126) (0.144) (0.130)	0.937 (0.443) (0.461) (0.370)	0.917 (0.360) (0.380) (0.288)	1.029 (0.751) (0.760) (0.699)	95	95	95	95
5	1.144 (0.073) (0.091) (0.055)	0.937 (0.490) (0.512) (0.450)	0.930 (0.477) (0.499) (0.438)	1.004 (0.967) (0.969) (0.964)	95	95	95	95

History: One Qtr After Initial Release  
1993:01-1996:04

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.312 (0.001) (0.008) (0.000)	0.325 (0.000) (0.001) (0.000)	0.325 (0.000) (0.001) (0.000)	0.689 (0.008) (0.021) (0.008)	16	16	16	16
2	0.800 (0.021) (0.054) (0.001)	0.789 (0.037) (0.079) (0.002)	0.778 (0.036) (0.077) (0.001)	0.935 (0.510) (0.560) (0.422)	16	16	16	16
3	0.887 (0.000) (0.000) (0.040)	0.820 (0.214) (0.311) (0.113)	0.754 (0.112) (0.200) (0.010)	0.933 (0.633) (0.693) (0.447)	16	16	16	16
4	0.938 (0.148) ( NA ) (0.108)	0.799 (0.171) (0.302) (0.050)	0.755 (0.120) (0.244) (0.018)	0.856 (0.378) (0.502) (0.199)	16	16	16	16
5	0.972 (0.493) (0.630) (0.534)	0.761 (0.045) (0.171) (0.020)	0.713 (0.036) (0.154) (0.020)	0.769 (0.028) (0.136) (0.026)	16	16	16	16

History: One Qtr After Initial Release  
1997:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.521 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.877 (0.047) (0.052) (0.038)	79	79	79	79
2	0.987 (0.749) (0.755) (0.747)	0.874 (0.005) (0.007) (0.009)	0.927 (0.092) (0.102) (0.083)	1.041 (0.435) (0.447) (0.434)	79	79	79	79
3	1.138 (0.051) (0.063) (0.026)	0.978 (0.698) (0.708) (0.688)	0.997 (0.960) (0.961) (0.958)	1.087 (0.150) (0.168) (0.105)	79	79	79	79
4	1.173 (0.038) (0.051) (0.028)	1.010 (0.901) (0.905) (0.892)	1.012 (0.877) (0.883) (0.872)	1.127 (0.160) (0.183) (0.112)	79	79	79	79
5	1.220 (0.039) (0.055) (0.024)	1.023 (0.823) (0.833) (0.804)	1.051 (0.570) (0.594) (0.533)	1.136 (0.225) (0.256) (0.168)	79	79	79	79

History: Five Qtrs After Initial Release  
1993:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.468 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.843 (0.004) (0.006) (0.005)	95	95	95	95
2	0.928 (0.122) (0.132) (0.134)	0.850 (0.001) (0.002) (0.001)	0.882 (0.017) (0.020) (0.010)	1.011 (0.812) (0.815) (0.800)	95	95	95	95
3	1.049 (0.364) (0.379) (0.380)	0.926 (0.259) (0.274) (0.207)	0.909 (0.256) (0.272) (0.196)	1.038 (0.545) (0.557) (0.435)	95	95	95	95
4	1.092 (0.126) (0.144) (0.130)	0.937 (0.443) (0.461) (0.370)	0.917 (0.360) (0.380) (0.288)	1.029 (0.751) (0.760) (0.699)	95	95	95	95
5	1.144 (0.073) (0.091) (0.055)	0.937 (0.490) (0.512) (0.450)	0.930 (0.477) (0.499) (0.438)	1.004 (0.967) (0.969) (0.964)	95	95	95	95

History: Five Qtrs After Initial Release  
1993:01-1996:04

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.312 (0.001) (0.008) (0.000)	0.325 (0.000) (0.001) (0.000)	0.325 (0.000) (0.001) (0.000)	0.689 (0.008) (0.021) (0.008)	16	16	16	16
2	0.800 (0.021) (0.054) (0.001)	0.789 (0.037) (0.079) (0.002)	0.778 (0.036) (0.077) (0.001)	0.935 (0.510) (0.560) (0.422)	16	16	16	16
3	0.887 (0.000) (0.000) (0.040)	0.820 (0.214) (0.311) (0.113)	0.754 (0.112) (0.200) (0.010)	0.933 (0.633) (0.693) (0.447)	16	16	16	16
4	0.938 (0.148) ( NA ) (0.108)	0.799 (0.171) (0.302) (0.050)	0.755 (0.120) (0.244) (0.018)	0.856 (0.378) (0.502) (0.199)	16	16	16	16
5	0.972 (0.493) (0.630) (0.534)	0.761 (0.045) (0.171) (0.020)	0.713 (0.036) (0.154) (0.020)	0.769 (0.028) (0.136) (0.026)	16	16	16	16

History: Five Qtrs After Initial Release  
1997:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.521 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.877 (0.047) (0.052) (0.038)	79	79	79	79
2	0.987 (0.749) (0.755) (0.747)	0.874 (0.005) (0.007) (0.009)	0.927 (0.092) (0.102) (0.083)	1.041 (0.435) (0.447) (0.434)	79	79	79	79
3	1.138 (0.051) (0.063) (0.026)	0.978 (0.698) (0.708) (0.688)	0.997 (0.960) (0.961) (0.958)	1.087 (0.150) (0.168) (0.105)	79	79	79	79
4	1.173 (0.038) (0.051) (0.028)	1.010 (0.901) (0.905) (0.892)	1.012 (0.877) (0.883) (0.872)	1.127 (0.160) (0.183) (0.112)	79	79	79	79
5	1.220 (0.039) (0.055) (0.024)	1.023 (0.823) (0.833) (0.804)	1.051 (0.570) (0.594) (0.533)	1.136 (0.225) (0.256) (0.168)	79	79	79	79

History: Nine Qtrs After Initial Release  
1993:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.468 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.843 (0.004) (0.006) (0.005)	95	95	95	95
2	0.928 (0.122) (0.132) (0.134)	0.850 (0.001) (0.002) (0.001)	0.882 (0.017) (0.020) (0.010)	1.011 (0.812) (0.815) (0.800)	95	95	95	95
3	1.049 (0.364) (0.379) (0.380)	0.926 (0.259) (0.274) (0.207)	0.909 (0.256) (0.272) (0.196)	1.038 (0.545) (0.557) (0.435)	95	95	95	95
4	1.092 (0.126) (0.144) (0.130)	0.937 (0.443) (0.461) (0.370)	0.917 (0.360) (0.380) (0.288)	1.029 (0.751) (0.760) (0.699)	95	95	95	95
5	1.144 (0.073) (0.091) (0.055)	0.937 (0.490) (0.512) (0.450)	0.930 (0.477) (0.499) (0.438)	1.004 (0.967) (0.969) (0.964)	95	95	95	95

History: Nine Qtrs After Initial Release  
1993:01-1996:04

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.312 (0.001) (0.008) (0.000)	0.325 (0.000) (0.001) (0.000)	0.325 (0.000) (0.001) (0.000)	0.689 (0.008) (0.021) (0.008)	16	16	16	16
2	0.800 (0.021) (0.054) (0.001)	0.789 (0.037) (0.079) (0.002)	0.778 (0.036) (0.077) (0.001)	0.935 (0.510) (0.560) (0.422)	16	16	16	16
3	0.887 (0.000) (0.000) (0.040)	0.820 (0.214) (0.311) (0.113)	0.754 (0.112) (0.200) (0.010)	0.933 (0.633) (0.693) (0.447)	16	16	16	16
4	0.938 (0.148) ( NA ) (0.108)	0.799 (0.171) (0.302) (0.050)	0.755 (0.120) (0.244) (0.018)	0.856 (0.378) (0.502) (0.199)	16	16	16	16
5	0.972 (0.493) (0.630) (0.534)	0.761 (0.045) (0.171) (0.020)	0.713 (0.036) (0.154) (0.020)	0.769 (0.028) (0.136) (0.026)	16	16	16	16

History: Nine Qtrs After Initial Release  
1997:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.521 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.877 (0.047) (0.052) (0.038)	79	79	79	79
2	0.987 (0.749) (0.755) (0.747)	0.874 (0.005) (0.007) (0.009)	0.927 (0.092) (0.102) (0.083)	1.041 (0.435) (0.447) (0.434)	79	79	79	79
3	1.138 (0.051) (0.063) (0.026)	0.978 (0.698) (0.708) (0.688)	0.997 (0.960) (0.961) (0.958)	1.087 (0.150) (0.168) (0.105)	79	79	79	79
4	1.173 (0.038) (0.051) (0.028)	1.010 (0.901) (0.905) (0.892)	1.012 (0.877) (0.883) (0.872)	1.127 (0.160) (0.183) (0.112)	79	79	79	79
5	1.220 (0.039) (0.055) (0.024)	1.023 (0.823) (0.833) (0.804)	1.051 (0.570) (0.594) (0.533)	1.136 (0.225) (0.256) (0.168)	79	79	79	79

History: Latest Vintage  
1993:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.468 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.466 (0.000) (0.000) (0.000)	0.843 (0.004) (0.006) (0.005)	95	95	95	95
2	0.928 (0.122) (0.132) (0.134)	0.850 (0.001) (0.002) (0.001)	0.882 (0.017) (0.020) (0.010)	1.011 (0.812) (0.815) (0.800)	95	95	95	95
3	1.049 (0.364) (0.379) (0.380)	0.926 (0.259) (0.274) (0.207)	0.909 (0.256) (0.272) (0.196)	1.038 (0.545) (0.557) (0.435)	95	95	95	95
4	1.092 (0.126) (0.144) (0.130)	0.937 (0.443) (0.461) (0.370)	0.917 (0.360) (0.380) (0.288)	1.029 (0.751) (0.760) (0.699)	95	95	95	95
5	1.144 (0.073) (0.091) (0.055)	0.937 (0.490) (0.512) (0.450)	0.930 (0.477) (0.499) (0.438)	1.004 (0.967) (0.969) (0.964)	95	95	95	95

History: Latest Vintage  
1993:01-1996:04

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.312 (0.001) (0.008) (0.000)	0.325 (0.000) (0.001) (0.000)	0.325 (0.000) (0.001) (0.000)	0.689 (0.008) (0.021) (0.008)	16	16	16	16
2	0.800 (0.021) (0.054) (0.001)	0.789 (0.037) (0.079) (0.002)	0.778 (0.036) (0.077) (0.001)	0.935 (0.510) (0.560) (0.422)	16	16	16	16
3	0.887 (0.000) (0.000) (0.040)	0.820 (0.214) (0.311) (0.113)	0.754 (0.112) (0.200) (0.010)	0.933 (0.633) (0.693) (0.447)	16	16	16	16
4	0.938 (0.148) ( NA ) (0.108)	0.799 (0.171) (0.302) (0.050)	0.755 (0.120) (0.244) (0.018)	0.856 (0.378) (0.502) (0.199)	16	16	16	16
5	0.972 (0.493) (0.630) (0.534)	0.761 (0.045) (0.171) (0.020)	0.713 (0.036) (0.154) (0.020)	0.769 (0.028) (0.136) (0.026)	16	16	16	16



History: Latest Vintage  
1997:01-2016:03

H	RMSE(S/NC)	RMSE(S/IAR)	RMSE(S/DAR)	RMSE(S/DARM)	N1	N2	N3	N4
1	0.521 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.510 (0.000) (0.000) (0.000)	0.877 (0.047) (0.052) (0.038)	79	79	79	79
2	0.987 (0.749) (0.755) (0.747)	0.874 (0.005) (0.007) (0.009)	0.927 (0.092) (0.102) (0.083)	1.041 (0.435) (0.447) (0.434)	79	79	79	79
3	1.138 (0.051) (0.063) (0.026)	0.978 (0.698) (0.708) (0.688)	0.997 (0.960) (0.961) (0.958)	1.087 (0.150) (0.168) (0.105)	79	79	79	79
4	1.173 (0.038) (0.051) (0.028)	1.010 (0.901) (0.905) (0.892)	1.012 (0.877) (0.883) (0.872)	1.127 (0.160) (0.183) (0.112)	79	79	79	79
5	1.220 (0.039) (0.055) (0.024)	1.023 (0.823) (0.833) (0.804)	1.051 (0.570) (0.594) (0.533)	1.136 (0.225) (0.256) (0.168)	79	79	79	79

Notes for Table 1B.

- (1) The forecast horizon is given by H, where H = 1 is the SPF forecast for the current quarter.
- (2) The headers RMSE(S/NC), RMSE(S/IAR), RMSE(S/DAR), and RMSE(S/DARM) are the ratios of the SPF root-mean-square error to that of the benchmark models: No-change (NC), indirect autoregression (IAR), direct autoregression (DAR), and direct autoregression augmented with monthly information (DARM). These statistics may differ slightly from those reported in Table 1A because they incorporate only those observations common to both the SPF and the benchmark model. The previous statistics make use of all available observations for each model.
- (3) All models are estimated on a rolling window of 60 observations from the Philadelphia Fed real-time data set.
- (4) A set of three two-sided p-values (in parentheses) accompanies each statistic. These are the p-values for the test of the equality of mean-square-error. The first is for the Diebold-Mariano (1995, JBES) statistic, using a uniform lag window with the truncation lag set to the forecast horizon minus one. (The tables report the p-values using a Bartlett window when the uniform window produces a negative standard error.) The second is for the Harvey-Leybourne-Newbold (1997, IJF) correction to the Diebold-Mariano statistic. The third is for the Diebold-Mariano statistic, using a Bartlett lag window with the truncation lag increased four quarters.
- (5) The headers N1, N2, N3, and N4 show the number of observations used in constructing each ratio of root-mean-square errors.
- (6) Sample periods refer to the dates forecast, not the dates when the forecasts were made.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 2. Recent SPF Forecasts  
(Dated at the Quarter Forecast)

Variable: TBOND (Treasury Bond Rate (10 Year))  
By Forecast Step (1 to 5)  
Transformation: Level

Last Updated: 04/04/2019 16:44

Qtr Forecast	Step 1	Step 2	Step 3	Step 4	Step 5
2012:02	2.100	2.140	2.500	3.450	4.080
2012:03	1.580	2.250	2.300	2.555	3.600
2012:04	1.750	1.700	2.349	2.400	2.737
2013:01	1.905	1.800	1.800	2.445	2.546
2013:02	1.840	2.000	1.888	2.000	2.581
2013:03	2.598	2.000	2.136	2.115	2.200
2013:04	2.700	2.619	2.100	2.293	2.250
2014:01	2.836	2.850	2.700	2.270	2.451
2014:02	2.750	3.000	2.962	2.809	2.465
2014:03	2.650	2.925	3.120	3.100	2.962
2014:04	2.410	2.820	3.050	3.250	3.200
2015:01	1.971	2.596	3.035	3.188	3.400
2015:02	2.108	2.222	2.790	3.210	3.378
2015:03	2.350	2.288	2.430	3.000	3.460
2015:04	2.290	2.535	2.407	2.515	3.150
2016:01	2.108	2.445	2.700	2.614	2.750
2016:02	1.900	2.290	2.579	2.866	2.775
2016:03	1.600	2.080	2.400	2.704	2.901
2016:04	1.800	1.800	2.205	2.500	2.845
2017:01	2.470	1.910	1.966	2.309	2.700
2017:02	2.430	2.597	2.000	2.100	2.448
2017:03	2.360	2.600	2.660	2.150	2.300
2017:04	2.418	2.510	2.702	2.800	2.300
2018:01	2.730	2.555	2.608	2.800	2.869
2018:02	2.950	2.900	2.685	2.725	2.915
2018:03	3.000	3.100	3.000	2.790	2.936
2018:04	3.183	3.124	3.223	3.050	2.950
2019:01	2.750	3.290	3.283	3.320	3.190
2019:02	NA	2.850	3.400	3.333	3.467
2019:03	NA	NA	2.900	3.497	3.430
2019:04	NA	NA	NA	2.970	3.500
2020:01	NA	NA	NA	NA	3.080

Notes for Table 2.

- (1) Each column gives the sequence of SPF projections for a given forecast step. The forecast steps range from one (the forecast for the quarter in which the survey was conducted) to four quarters in the future (step 5).
- (2) The dates listed in the rows are the dates forecast, not the dates when the forecasts were made, with the exception of the forecast at step one, for which the two dates coincide.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 3. Recent Benchmark Model 1 IAR Forecasts  
(Dated at the Quarter Forecast)

Variable: TBOND (Treasury Bond Rate (10 Year))  
By Forecast Step (1 to 5)  
Transformation: Level  
Lag Length for IAR(p): AIC

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

Qtr Forecast	Step 1	Step 2	Step 3	Step 4	Step 5
2012:02	2.046	2.050	2.556	3.280	3.408
2012:03	1.832	2.121	2.085	2.628	3.435
2012:04	1.732	2.006	2.222	2.181	2.793
2013:01	1.709	1.759	2.004	2.234	2.185
2013:02	1.961	1.648	1.710	1.985	2.218
2013:03	1.978	1.890	1.652	1.728	2.031
2013:04	3.027	2.052	1.894	1.634	1.728
2014:01	2.580	2.955	2.121	1.855	1.579
2014:02	2.963	2.725	3.067	2.139	1.795
2014:03	2.626	3.051	2.847	3.240	2.167
2014:04	2.546	2.694	3.051	2.821	3.262
2015:01	2.282	2.588	2.709	3.099	2.835
2015:02	2.004	2.353	2.585	2.726	3.154
2015:03	2.293	2.109	2.353	2.618	2.768
2015:04	2.150	2.232	2.100	2.369	2.666
2016:01	2.244	2.203	2.263	2.118	2.422
2016:02	1.906	2.303	2.281	2.347	2.184
2016:03	1.822	1.986	2.318	2.299	2.372
2016:04	1.581	1.884	1.994	2.341	2.323
2017:01	2.258	1.630	1.876	1.969	2.377
2017:02	2.322	2.093	1.619	1.862	1.962
2017:03	2.151	2.217	2.035	1.590	1.868
2017:04	2.294	2.200	2.247	2.084	1.579
2018:01	2.394	2.309	2.250	2.291	2.109
2018:02	2.772	2.364	2.300	2.250	2.295
2018:03	2.819	2.652	2.355	2.297	2.242
2018:04	2.868	2.754	2.631	2.365	2.302
2019:01	3.037	2.845	2.775	2.662	2.370
2019:02	NA	2.992	2.848	2.797	2.671
2019:03	NA	NA	2.969	2.846	2.793
2019:04	NA	NA	NA	2.967	2.835
2020:01	NA	NA	NA	NA	2.961

Notes for Table 3.

- (1) Each column gives the sequence of benchmark IAR projections for a given forecast step. The forecast steps range from one to five. The first step corresponds to the forecast that SPF panelists make for the quarter in which the survey is conducted.
- (2) The dates listed in the rows are the dates forecast, not the dates when the forecasts were made, with the exception of the forecast at step one, for which the two dates coincide.
- (3) The IAR benchmark model is estimated on a fixed 60-quarter rolling window. Its forecasts are computed with the indirect method. Estimation uses data from the Philadelphia Fed real-time data set.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 4. Recent Benchmark Model 2 No-Change Forecasts  
(Dated at the Quarter Forecast)

Variable: TBOND (Treasury Bond Rate (10 Year))  
By Forecast Step (1 to 5)  
Transformation: Level

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

Qtr Forecast	Step 1	Step 2	Step 3	Step 4	Step 5
2012:02	2.037	2.047	2.427	3.210	3.460
2012:03	1.823	2.037	2.047	2.427	3.210
2012:04	1.643	1.823	2.037	2.047	2.427
2013:01	1.707	1.643	1.823	2.037	2.047
2013:02	1.950	1.707	1.643	1.823	2.037
2013:03	1.997	1.950	1.707	1.643	1.823
2013:04	2.710	1.997	1.950	1.707	1.643
2014:01	2.747	2.710	1.997	1.950	1.707
2014:02	2.763	2.747	2.710	1.997	1.950
2014:03	2.623	2.763	2.747	2.710	1.997
2014:04	2.497	2.623	2.763	2.747	2.710
2015:01	2.280	2.497	2.623	2.763	2.747
2015:02	1.967	2.280	2.497	2.623	2.763
2015:03	2.167	1.967	2.280	2.497	2.623
2015:04	2.220	2.167	1.967	2.280	2.497
2016:01	2.190	2.220	2.167	1.967	2.280
2016:02	1.920	2.190	2.220	2.167	1.967
2016:03	1.753	1.920	2.190	2.220	2.167
2016:04	1.563	1.753	1.920	2.190	2.220
2017:01	2.130	1.563	1.753	1.920	2.190
2017:02	2.443	2.130	1.563	1.753	1.920
2017:03	2.263	2.443	2.130	1.563	1.753
2017:04	2.243	2.263	2.443	2.130	1.563
2018:01	2.370	2.243	2.263	2.443	2.130
2018:02	2.760	2.370	2.243	2.263	2.443
2018:03	2.920	2.760	2.370	2.243	2.263
2018:04	2.927	2.920	2.760	2.370	2.243
2019:01	3.033	2.927	2.920	2.760	2.370
2019:02	NA	3.033	2.927	2.920	2.760
2019:03	NA	NA	3.033	2.927	2.920
2019:04	NA	NA	NA	3.033	2.927
2020:01	NA	NA	NA	NA	3.033

Notes for Table 4.

- (1) Each column gives the sequence of benchmark no-change projections for a given forecast step. The forecast steps range from one to five. The first step corresponds to the forecast that SPF panelists make for the quarter in which the survey is conducted.
- (2) The dates listed in the rows are the dates forecast, not the dates when the forecasts were made, with the exception of the forecast at step one, for which the two dates coincide.
- (3) The projections use data from the Philadelphia Fed real-time data set.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 5. Recent Benchmark Model 3 DAR Forecasts  
(Dated at the Quarter Forecast)

Variable: TBOND (Treasury Bond Rate (10 Year))  
By Forecast Step (1 to 5)  
Transformation: Level  
Lag Length for DAR(p): AIC

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

Qtr Forecast	Step 1	Step 2	Step 3	Step 4	Step 5
2012:02	2.046	2.196	2.650	3.350	3.603
2012:03	1.832	2.148	2.260	2.715	3.399
2012:04	1.732	1.955	2.183	2.347	2.782
2013:01	1.709	1.741	1.956	2.276	2.429
2013:02	1.961	1.746	1.759	2.038	2.361
2013:03	1.978	1.981	1.758	1.800	2.130
2013:04	3.027	2.044	1.945	1.810	1.885
2014:01	2.580	2.742	2.008	1.980	1.839
2014:02	2.963	2.803	2.716	2.002	2.017
2014:03	2.626	2.818	2.782	2.694	2.031
2014:04	2.546	2.678	2.827	2.772	2.666
2015:01	2.282	2.553	2.701	2.822	2.744
2015:02	2.004	2.357	2.572	2.732	2.808
2015:03	2.293	2.080	2.369	2.620	2.727
2015:04	2.150	2.260	2.098	2.416	2.652
2016:01	2.244	2.310	2.268	2.138	2.472
2016:02	1.906	2.276	2.316	2.296	2.191
2016:03	1.822	2.007	2.287	2.339	2.323
2016:04	1.581	1.835	2.026	2.313	2.360
2017:01	2.258	1.645	1.852	2.067	2.334
2017:02	2.322	2.166	1.646	1.899	2.108
2017:03	2.151	2.481	2.151	1.692	1.950
2017:04	2.294	2.331	2.451	2.151	1.748
2018:01	2.394	2.301	2.329	2.436	2.172
2018:02	2.772	2.405	2.313	2.313	2.432
2018:03	2.819	2.766	2.409	2.318	2.309
2018:04	2.868	2.921	2.750	2.422	2.304
2019:01	3.037	2.924	2.905	2.738	2.423
2019:02	NA	3.007	2.916	2.887	2.734
2019:03	NA	NA	3.002	2.902	2.869
2019:04	NA	NA	NA	2.992	2.888
2020:01	NA	NA	NA	NA	2.979

Notes for Table 5.

- (1) Each column gives the sequence of benchmark DAR projections for a given forecast step. The forecast steps range from one to five. The first step corresponds to the forecast that SPF panelists make for the quarter in which the survey is conducted.
- (2) The dates listed in the rows are the dates forecast, not the dates when the forecasts were made, with the exception of the forecast at step one, for which the two dates coincide.
- (3) The DAR benchmark model is estimated on a fixed 60-quarter rolling window. Its forecasts are computed with the direct method. Estimation uses data from the Philadelphia Fed real-time data set.

Source: Tom Stark, Research Department, FRB Philadelphia.

Table 6. Recent Benchmark Model 4 DARM Forecasts  
(Dated at the Quarter Forecast)

Variable: TBOND (Treasury Bond Rate (10 Year))  
By Forecast Step (1 to 5)  
Transformation: Level  
Lag Length for DARM(p): AIC

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

Qtr Forecast	Step 1	Step 2	Step 3	Step 4	Step 5
2012:02	1.985	2.106	2.284	2.957	3.758
2012:03	1.429	1.995	2.092	2.156	3.014
2012:04	1.819	1.555	1.978	2.042	2.107
2013:01	1.838	1.866	1.696	1.897	2.095
2013:02	1.644	1.780	1.865	1.579	1.935
2013:03	2.644	1.626	1.793	1.874	1.601
2013:04	2.452	2.512	1.899	1.832	1.841
2014:01	2.868	2.366	2.240	1.769	1.788
2014:02	2.655	2.860	2.699	2.399	1.825
2014:03	2.505	2.653	2.816	2.636	2.308
2014:04	2.238	2.541	2.707	2.783	2.635
2015:01	1.890	2.304	2.539	2.664	2.728
2015:02	2.025	2.076	2.323	2.494	2.629
2015:03	2.374	2.166	2.136	2.177	2.492
2015:04	1.993	2.340	2.046	2.022	2.247
2016:01	2.171	2.058	2.322	2.071	2.171
2016:02	1.777	2.310	2.182	2.380	2.151
2016:03	1.561	1.791	2.291	2.108	2.431
2016:04	1.886	1.729	1.758	2.262	2.121
2017:01	2.424	1.914	1.850	1.763	2.317
2017:02	2.185	2.194	1.796	1.793	1.753
2017:03	2.445	2.090	2.220	1.937	1.869
2017:04	2.375	2.523	2.314	2.276	1.971
2018:01	2.590	2.349	2.510	2.223	2.252
2018:02	2.902	2.484	2.417	2.551	2.182
2018:03	2.899	2.843	2.573	2.490	2.573
2018:04	3.152	2.905	2.956	2.662	2.474
2019:01	2.680	3.070	2.978	2.970	2.660
2019:02	NA	2.776	3.008	2.963	3.038
2019:03	NA	NA	2.988	3.060	2.975
2019:04	NA	NA	NA	2.889	3.049
2020:01	NA	NA	NA	NA	2.898

Notes for Table 6.

- (1) Each column gives the sequence of benchmark DARM projections for a given forecast step. The forecast steps range from one to five. The first step corresponds to the forecast that SPF panelists make for the quarter in which the survey is conducted.
- (2) The dates listed in the rows are the dates forecast, not the dates when the forecasts were made, with the exception of the forecast at step one, for which the two dates coincide.
- (3) The DARM benchmark model is estimated on a fixed 60-quarter rolling window. Its forecasts are computed with the direct method and incorporate recent monthly values of the dependent variable. Estimation uses data from the Philadelphia Fed real-time data set.

Source: Tom Stark, Research Department, FRB Philadelphia.

---

Table 7. Recent Realizations (Various Measures)  
Philadelphia Fed Real-Time Data Set

---

Variable: TBOND (Treasury Bond Rate (10 Year))  
Transformation: Level

Source for Historical Realizations: Federal Reserve Board via Haver Analytics

Last Updated: 04/04/2019 16:44

Column (1): Initial Release  
Column (2): One Qtr After Initial Release  
Column (3): Five Qtrs After Initial Release  
Column (4): Nine Qtrs After Initial Release  
Column (5): Latest Vintage

---

Obs. Date	(1)	(2)	(3)	(4)	(5)
2012:02	1.823	1.823	1.823	1.823	1.823
2012:03	1.643	1.643	1.643	1.643	1.643
2012:04	1.707	1.707	1.707	1.707	1.707
2013:01	1.950	1.950	1.950	1.950	1.950
2013:02	1.997	1.997	1.997	1.997	1.997
2013:03	2.710	2.710	2.710	2.710	2.710
2013:04	2.747	2.747	2.747	2.747	2.747
2014:01	2.763	2.763	2.763	2.763	2.763
2014:02	2.623	2.623	2.623	2.623	2.623
2014:03	2.497	2.497	2.497	2.497	2.497
2014:04	2.280	2.280	2.280	2.280	2.280
2015:01	1.967	1.967	1.967	1.967	1.967
2015:02	2.167	2.167	2.167	2.167	2.167
2015:03	2.220	2.220	2.220	2.220	2.220
2015:04	2.190	2.190	2.190	2.190	2.190
2016:01	1.920	1.920	1.920	1.920	1.920
2016:02	1.753	1.753	1.753	1.753	1.753
2016:03	1.563	1.563	1.563	1.563	1.563
2016:04	2.130	2.130	2.130	NA	2.130
2017:01	2.443	2.443	2.443	NA	2.443
2017:02	2.263	2.263	2.263	NA	2.263
2017:03	2.243	2.243	2.243	NA	2.243
2017:04	2.370	2.370	NA	NA	2.370
2018:01	2.760	2.760	NA	NA	2.760
2018:02	2.920	2.920	NA	NA	2.920
2018:03	2.927	2.927	NA	NA	2.927
2018:04	3.033	NA	NA	NA	3.033
2019:01	NA	NA	NA	NA	NA
2019:02	NA	NA	NA	NA	NA
2019:03	NA	NA	NA	NA	NA
2019:04	NA	NA	NA	NA	NA
2020:01	NA	NA	NA	NA	NA


Notes for Table 7.

- (1) Each column reports a sequence of realizations from the Philadelphia Fed real-time data set.
- (2) The date listed in each row is the observation date.
- (3) Moving across a particular row shows how the observation is revised in subsequent releases.

Source: Tom Stark, Research Department, FRB Philadelphia.

# Root-Mean-Square Errors: 1993:01-2016:03

*SPF Projections for Treasury Bond Rate (10 Year), Transformation: Level*




The RMSE is plotted against the realization used to compute it, from the value on initial release to the value as we now know it. Source: Tom Stark, FRB Philadelphia.



# Root-Mean-Square Errors: 1993:01-1996:04


*SPF Projections for Treasury Bond Rate (10 Year), Transformation: Level*



The RMSE is plotted against the realization used to compute it, from the value on initial release to the value as we now know it. Source: Tom Stark, FRB Philadelphia.

# Root-Mean-Square Errors: 1997:01-2016:03

*SPF Projections for Treasury Bond Rate (10 Year), Transformation: Level*




The RMSE is plotted against the realization used to compute it, from the value on initial release to the value as we now know it. Source: Tom Stark, FRB Philadelphia.

# Treasury Bond Rate (10 Year)

*History, Forecasts, and Ranges for the SPF of 2019:01*

## Level

*(Ranges Cover 25 to 80 Percent Confidence)*



Ranges at each horizon use the  $N(0, \text{MSE})$  density. The MSEs are based on the sample 93:01-17:03 and use the realization: Five Qtrs After Initial Release. Source: T.Stark, FRB Phila.